Age at Diagnosis * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Age at	13-19	Count	2	2	4
Diagnosis		% within Sex	8.3%	13.3%	10.3%
	20-24	Count	5	4	9
		% within Sex	20.8%	26.7%	23.1%
	25-29	Count	2	1	3
		% within Sex	8.3%	6.7%	7.7%
	30-39	Count	10	3	13
		% within Sex	41.7%	20.0%	33.3%
	40-49	Count	2	4	6
		% within Sex	8.3%	26.7%	15.4%
	50-59	Count	2	1	3
		% within Sex	8.3%	6.7%	7.7%
	60-69	Count	1		1
		% within Sex	4.2%		2.6%
Total		Count	24	15	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	7	6	13
		% within Sex	29.2%	40.0%	33.3%
	African American	Count	15	9	24
		% within Sex	62.5%	60.0%	61.5%
	Hispanic	Count	1		1
		% within Sex	4.2%		2.6%
	Asian-Pacific Islander	Count	1		1
		% within Sex	4.2%		2.6%
Total		Count	24	15	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12		12
Exposure		% within Sex	50.0%		30.8%
	IDU	Count	1	1	2
		% within Sex	4.2%	6.7%	5.1%
	Heterosexual Contact	Count	7	9	16
		% within Sex	29.2%	60.0%	41.0%
	Not Classified	Count	4	5	9
		% within Sex	16.7%	33.3%	23.1%
Total		Count	24	15	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	13	13
		% within Adult-Ped	33.3%	33.3%
	African American	Count	24	24
		% within Adult-Ped	61.5%	61.5%
	Hispanic	Count	1	1
		% within Adult-Ped	2.6%	2.6%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	2.6%	2.6%
Total		Count	39	39
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	24	24
		% within Adult-Ped	61.5%	61.5%
	Female	Count	15	15
		% within Adult-Ped	38.5%	38.5%
Total		Count	39	39
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	1	2	3
Diagnosis		% within Sex	3.6%	12.5%	6.8%
	20-24	Count	5	5	10
		% within Sex	17.9%	31.3%	22.7%
	25-29	Count	7	3	10
		% within Sex	25.0%	18.8%	22.7%
	30-39	Count	10	3	13
		% within Sex	35.7%	18.8%	29.5%
	40-49	Count	3	3	6
		% within Sex	10.7%	18.8%	13.6%
	50-59	Count	1		1
		% within Sex	3.6%		2.3%
	70+	Count	1		1
		% within Sex	3.6%		2.3%
Total		Count	28	16	44
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	14	3	17
		% within Sex	50.0%	18.8%	38.6%
	African American	Count	11	12	23
		% within Sex	39.3%	75.0%	52.3%
	Hispanic	Count	3	1	4
		% within Sex	10.7%	6.3%	9.1%
Total		Count	28	16	44
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	15		15
Exposure		% within Sex	53.6%		34.1%
	IDU	Count	2	3	5
		% within Sex	7.1%	18.8%	11.4%
	M-M & IDU	Count	2		2
		% within Sex	7.1%		4.5%
	Heterosexual Contact	Count	3	4	7
		% within Sex	10.7%	25.0%	15.9%
	Transfusion	Count		1	1
		% within Sex		6.3%	2.3%
	Not Classified	Count	6	8	14
		% within Sex	21.4%	50.0%	31.8%
Total		Count	28	16	44
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	17	17
		% within Adult-Ped	38.6%	38.6%
	African American	Count	23	23
		% within Adult-Ped	52.3%	52.3%
	Hispanic	Count	4	4
		% within Adult-Ped	9.1%	9.1%
Total		Count	44	44
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	28	28
		% within Adult-Ped	63.6%	63.6%
	Female	Count	16	16
		% within Adult-Ped	36.4%	36.4%
Total		Count	44	44
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	3	5
Diagnosis		% within Sex	1.6%	3.3%	2.3%
	1 (12-23 mo)	Count		1	1
		% within Sex		1.1%	.5%
	2-4	Count		1	1
		% within Sex		1.1%	.5%
	13-19	Count	3	13	16
		% within Sex	2.3%	14.3%	7.3%
	20-24	Count	23	20	43
		% within Sex	18.0%	22.0%	19.6%
	25-29	Count	18	12	30
		% within Sex	14.1%	13.2%	13.7%
	30-39	Count	49	25	74
		% within Sex	38.3%	27.5%	33.8%
	40-49	Count	20	12	32
		% within Sex	15.6%	13.2%	14.6%
	50-59	Count	10	3	13
		% within Sex	7.8%	3.3%	5.9%
	60-69	Count	1	1	2
		% within Sex	.8%	1.1%	.9%
	70+	Count	1		1
		% within Sex	.8%		.5%
	Unknown	Count	1		1
		% within Sex	.8%		.5%
Total		Count	128	91	219
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	46	19	65
		% within Sex	35.9%	20.9%	29.7%
	African American	Count	68	65	133
		% within Sex	53.1%	71.4%	60.7%
	Hispanic	Count	7	5	12
		% within Sex	5.5%	5.5%	5.5%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.8%		.5%
	Not Specified	Count	6	2	8
		% within Sex	4.7%	2.2%	3.7%
Total		Count	128	91	219
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	55		55
Exposure		% within Sex	43.0%		25.1%
	IDU	Count	10	8	18
		% within Sex	7.8%	8.8%	8.2%
	M-M & IDU	Count	10		10
		% within Sex	7.8%		4.6%
	Heterosexual Contact	Count	18	37	55
		% within Sex	14.1%	40.7%	25.1%
	Transfusion	Count		1	1
		% within Sex		1.1%	.5%
	Not Classified	Count	33	40	73
		% within Sex	25.8%	44.0%	33.3%
	Ped Parent at Risk	Count	2	5	7
		% within Sex	1.6%	5.5%	3.2%
Total		Count	128	91	219
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count		64	1	65
		% within Adult-Ped		30.3%	100.0%	29.7%
	African American	Count	5	128		133
		% within Adult-Ped	71.4%	60.7%		60.7%
	Hispanic	Count	2	10		12
		% within Adult-Ped	28.6%	4.7%		5.5%
	Asian-Pacific Islander	Count		1		1
		% within Adult-Ped		.5%		.5%
	Not Specified	Count		8		8
		% within Adult-Ped		3.8%		3.7%
Total		Count	7	211	1	219
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	2	125	1	128
		% within Adult-Ped	28.6%	59.2%	100.0%	58.4%
	Female	Count	5	86		91
		% within Adult-Ped	71.4%	40.8%		41.6%
Total		Count	7	211	1	219
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	3	5
Diagnosis		% within Sex	1.6%	3.4%	2.3%
	1 (12-23 mo)	Count		1	1
		% within Sex		1.1%	.5%
	2-4	Count		1	1
		% within Sex		1.1%	.5%
	13-19	Count	3	13	16
		% within Sex	2.4%	14.6%	7.5%
	20-24	Count	22	20	42
		% within Sex	17.7%	22.5%	19.7%
	25-29	Count	17	12	29
		% within Sex	13.7%	13.5%	13.6%
	30-39	Count	49	25	74
		% within Sex	39.5%	28.1%	34.7%
	40-49	Count	18	11	29
		% within Sex	14.5%	12.4%	13.6%
	50-59	Count	10	2	12
		% within Sex	8.1%	2.2%	5.6%
	60-69	Count	1	1	2
		% within Sex	.8%	1.1%	.9%
	70+	Count	1		1
		% within Sex	.8%		.5%
	Unknown	Count	1		1
		% within Sex	.8%		.5%
Total		Count	124	89	213
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	2	4	6
Age		% within Sex	1.6%	4.5%	2.8%
	13-19	Count	1	4	5
		% within Sex	.8%	4.5%	2.3%
	20-24	Count	8	16	24
		% within Sex	6.5%	18.0%	11.3%
	25-29	Count	17	17	34
		% within Sex	13.7%	19.1%	16.0%
	30-39	Count	47	26	73
		% within Sex	37.9%	29.2%	34.3%
	40-49	Count	32	18	50
		% within Sex	25.8%	20.2%	23.5%
	50-59	Count	13	2	15
		% within Sex	10.5%	2.2%	7.0%
	60-69	Count	3	2	5
		% within Sex	2.4%	2.2%	2.3%
	70+	Count	1		1
		% within Sex	.8%		.5%
Total		Count	124	89	213
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Race-Ethnicity * Sex Crosstabulation^a

			Se		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	42	19	61
		% within Sex	33.9%	21.3%	28.6%
	African American	Count	68	63	131
		% within Sex	54.8%	70.8%	61.5%
	Hispanic	Count	7	5	12
		% within Sex	5.6%	5.6%	5.6%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.8%		.5%
	Not Specified	Count	6	2	8
		% within Sex	4.8%	2.2%	3.8%
Total		Count	124	89	213
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	54		54
Exposure		% within Sex	43.5%		25.4%
	IDU	Count	10	8	18
		% within Sex	8.1%	9.0%	8.5%
	M-M & IDU	Count	7		7
		% within Sex	5.6%		3.3%
	Heterosexual Contact	Count	18	36	54
		% within Sex	14.5%	40.4%	25.4%
	Transfusion	Count		1	1
		% within Sex		1.1%	.5%
	Not Classified	Count	33	39	72
		% within Sex	26.6%	43.8%	33.8%
	Ped Parent at Risk	Count	2	5	7
		% within Sex	1.6%	5.6%	3.3%
Total		Count	124	89	213
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count		60	1	61
		% within Adult-Ped		29.3%	100.0%	28.6%
	African American	Count	5	126		131
		% within Adult-Ped	71.4%	61.5%		61.5%
	Hispanic	Count	2	10		12
		% within Adult-Ped	28.6%	4.9%		5.6%
	Asian-Pacific Islander	Count		1		1
		% within Adult-Ped		.5%		.5%
	Not Specified	Count		8		8
		% within Adult-Ped		3.9%		3.8%
Total		Count	7	205	1	213
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	2	121	1	124
		% within Adult-Ped	28.6%	59.0%	100.0%	58.2%
	Female	Count	5	84		89
		% within Adult-Ped	71.4%	41.0%		41.8%
Total		Count	7	205	1	213
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	20-24	Count		3	3
Diagnosis		% within Sex		17.6%	7.0%
	25-29	Count		2	2
		% within Sex		11.8%	4.7%
	30-39	Count	14	4	18
		% within Sex	53.8%	23.5%	41.9%
	40-49	Count	10	8	18
		% within Sex	38.5%	47.1%	41.9%
	50-59	Count	2		2
		% within Sex	7.7%		4.7%
Total		Count	26	17	43
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	9	3	12
		% within Sex	34.6%	17.6%	27.9%
	African American	Count	15	14	29
		% within Sex	57.7%	82.4%	67.4%
	Hispanic	Count	1		1
		% within Sex	3.8%		2.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	3.8%		2.3%
Total		Count	26	17	43
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	9		9
Exposure		% within Sex	34.6%		20.9%
	IDU	Count	2	1	3
		% within Sex	7.7%	5.9%	7.0%
	M-M & IDU	Count	5		5
		% within Sex	19.2%		11.6%
	Heterosexual Contact	Count	2	9	11
		% within Sex	7.7%	52.9%	25.6%
	Not Classified	Count	8	7	15
		% within Sex	30.8%	41.2%	34.9%
Total		Count	26	17	43
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	12	12
		% within Adult-Ped	27.9%	27.9%
	African American	Count	29	29
		% within Adult-Ped	67.4%	67.4%
	Hispanic	Count	1	1
		% within Adult-Ped	2.3%	2.3%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	2.3%	2.3%
Total		Count	43	43
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	26	26
		% within Adult-Ped	60.5%	60.5%
	Female	Count	17	17
		% within Adult-Ped	39.5%	39.5%
Total		Count	43	43
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	20-24	Count		1	1
Diagnosis		% within Sex		10.0%	2.6%
	25-29	Count	2	2	4
		% within Sex	6.9%	20.0%	10.3%
	30-39	Count	11	3	14
		% within Sex	37.9%	30.0%	35.9%
	40-49	Count	14	3	17
		% within Sex	48.3%	30.0%	43.6%
	50-59	Count	2	1	3
		% within Sex	6.9%	10.0%	7.7%
Total		Count	29	10	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Race-Ethnicity * Sex Crosstabulation^a

			Se	Sex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	8	1	9
		% within Sex	27.6%	10.0%	23.1%
	African American	Count	17	9	26
		% within Sex	58.6%	90.0%	66.7%
	Hispanic	Count	2		2
		% within Sex	6.9%		5.1%
	Asian-Pacific Islander	Count	2		2
		% within Sex	6.9%		5.1%
Total		Count	29	10	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	13		13
Exposure		% within Sex	44.8%		33.3%
	IDU	Count	6		6
		% within Sex	20.7%		15.4%
	M-M & IDU	Count	1		1
		% within Sex	3.4%		2.6%
	Heterosexual Contact	Count	2	6	8
		% within Sex	6.9%	60.0%	20.5%
	Transfusion	Count	1		1
		% within Sex	3.4%		2.6%
	Not Classified	Count	6	4	10
		% within Sex	20.7%	40.0%	25.6%
Total		Count	29	10	39
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	23.1%	23.1%
	African American	Count	26	26
		% within Adult-Ped	66.7%	66.7%
	Hispanic	Count	2	2
		% within Adult-Ped	5.1%	5.1%
	Asian-Pacific Islander	Count	2	2
		% within Adult-Ped	5.1%	5.1%
Total		Count	39	39
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	29	29
		% within Adult-Ped	74.4%	74.4%
	Female	Count	10	10
		% within Adult-Ped	25.6%	25.6%
Total		Count	39	39
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count		1	1
Diagnosis		% within Sex		.6%	.1%
	2-4	Count	1	3	4
		% within Sex	.2%	1.9%	.5%
	5-12	Count	3		3
		% within Sex	.5%		.4%
	13-19	Count	5	7	12
		% within Sex	.8%	4.4%	1.5%
	20-24	Count	35	18	53
		% within Sex	5.6%	11.3%	6.7%
	25-29	Count	106	36	142
		% within Sex	16.9%	22.5%	18.0%
	30-39	Count	286	50	336
		% within Sex	45.5%	31.3%	42.6%
	40-49	Count	140	32	172
		% within Sex	22.3%	20.0%	21.8%
	50-59	Count	43	9	52
		% within Sex	6.8%	5.6%	6.6%
	60-69	Count	9	2	11
		% within Sex	1.4%	1.3%	1.4%
	70+	Count	1	2	3
		% within Sex	.2%	1.3%	.4%
Total		Count	629	160	789
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	330	53	383
		% within Sex	52.5%	33.1%	48.5%
	African American	Count	250	102	352
		% within Sex	39.7%	63.8%	44.6%
	Hispanic	Count	44	4	48
		% within Sex	7.0%	2.5%	6.1%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	.5%	.6%	.5%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.2%		.1%
	Not Specified	Count	1		1
		% within Sex	.2%		.1%
Total		Count	629	160	789
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Mode of Exposure * Sex Crosstabulation^a

			Se	Sex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	352		352
Exposure		% within Sex	56.0%		44.6%
	IDU	Count	72	41	113
		% within Sex	11.4%	25.6%	14.3%
	M-M & IDU	Count	92		92
		% within Sex	14.6%		11.7%
	Hemophiliac	Count	6		6
		% within Sex	1.0%		.8%
	Heterosexual Contact	Count	22	61	83
		% within Sex	3.5%	38.1%	10.5%
	Transfusion	Count	15	11	26
		% within Sex	2.4%	6.9%	3.3%
	Not Classified	Count	65	42	107
		% within Sex	10.3%	26.3%	13.6%
	Ped Hemophiliac	Count	2		2
		% within Sex	.3%		.3%
	Ped Parent at Risk	Count	2	4	6
		% within Sex	.3%	2.5%	.8%
	Ped Transfusion	Count	1	1	2
		% within Sex	.2%	.6%	.3%
Total		Count	629	160	789
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	5	378	383
		% within Adult-Ped	62.5%	48.4%	48.5%
	African American	Count	3	349	352
		% within Adult-Ped	37.5%	44.7%	44.6%
	Hispanic	Count		48	48
		% within Adult-Ped		6.1%	6.1%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		.5%	.5%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		1	1
		% within Adult-Ped		.1%	.1%
Total		Count	8	781	789
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	4	625	629
		% within Adult-Ped	50.0%	80.0%	79.7%
	Female	Count	4	156	160
		% within Adult-Ped	50.0%	20.0%	20.3%
Total		Count	8	781	789
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	2-4	Count	1	2	3
Diagnosis		% within Sex	.4%	2.3%	.9%
	5-12	Count	1		1
		% within Sex	.4%		.3%
	13-19	Count	3	4	7
		% within Sex	1.2%	4.7%	2.1%
	20-24	Count	13	8	21
		% within Sex	5.2%	9.3%	6.3%
	25-29	Count	32	19	51
		% within Sex	12.9%	22.1%	15.2%
	30-39	Count	121	29	150
		% within Sex	48.6%	33.7%	44.8%
	40-49	Count	70	19	89
		% within Sex	28.1%	22.1%	26.6%
	50-59	Count	6	5	11
		% within Sex	2.4%	5.8%	3.3%
	60-69	Count	1		1
		% within Sex	.4%		.3%
	70+	Count	1		1
		% within Sex	.4%		.3%
Total		Count	249	86	335
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Current	13-19	Count	1	2	3
Age		% within Sex	.4%	2.3%	.9%
	20-24	Count	2	2	4
		% within Sex	.8%	2.3%	1.2%
	25-29	Count	6	8	14
		% within Sex	2.4%	9.3%	4.2%
	30-39	Count	81	30	111
		% within Sex	32.5%	34.9%	33.1%
	40-49	Count	121	35	156
		% within Sex	48.6%	40.7%	46.6%
	50-59	Count	33	7	40
		% within Sex	13.3%	8.1%	11.9%
	60-69	Count	3	2	5
		% within Sex	1.2%	2.3%	1.5%
	70+	Count	2		2
		% within Sex	.8%		.6%
Total		Count	249	86	335
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	113	26	139
		% within Sex	45.4%	30.2%	41.5%
	African American	Count	113	57	170
		% within Sex	45.4%	66.3%	50.7%
	Hispanic	Count	18	2	20
		% within Sex	7.2%	2.3%	6.0%
	Asian-Pacific Islander	Count	3	1	4
		% within Sex	1.2%	1.2%	1.2%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.4%		.3%
	Not Specified	Count	1		1
		% within Sex	.4%		.3%
Total		Count	249	86	335
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	139		139
Exposure		% within Sex	55.8%		41.5%
	IDU	Count	30	24	54
		% within Sex	12.0%	27.9%	16.1%
	M-M & IDU	Count	30		30
		% within Sex	12.0%		9.0%
	Heterosexual Contact	Count	10	34	44
		% within Sex	4.0%	39.5%	13.1%
	Transfusion	Count	5	1	6
		% within Sex	2.0%	1.2%	1.8%
	Not Classified	Count	32	25	57
		% within Sex	12.9%	29.1%	17.0%
	Ped Hemophiliac	Count	2		2
		% within Sex	.8%		.6%
	Ped Parent at Risk	Count	1	2	3
		% within Sex	.4%	2.3%	.9%
Total		Count	249	86	335
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	138	139
		% within Adult-Ped	25.0%	41.7%	41.5%
	African American	Count	3	167	170
		% within Adult-Ped	75.0%	50.5%	50.7%
	Hispanic	Count		20	20
		% within Adult-Ped		6.0%	6.0%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		1.2%	1.2%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		1	1
		% within Adult-Ped		.3%	.3%
Total		Count	4	331	335
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	2	247	249
		% within Adult-Ped	50.0%	74.6%	74.3%
	Female	Count	2	84	86
		% within Adult-Ped	50.0%	25.4%	25.7%
Total		Count	4	331	335
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	3	5
Diagnosis		% within Sex	.5%	1.7%	.9%
	1 (12-23 mo)	Count		1	1
		% within Sex		.6%	.2%
	2-4	Count	1	3	4
		% within Sex	.3%	1.7%	.7%
	5-12	Count	1		1
		% within Sex	.3%		.2%
	13-19	Count	6	17	23
		% within Sex	1.6%	9.7%	4.2%
	20-24	Count	35	28	63
		% within Sex	9.4%	16.0%	11.5%
	25-29	Count	49	31	80
		% within Sex	13.1%	17.7%	14.6%
	30-39	Count	170	54	224
		% within Sex	45.6%	30.9%	40.9%
	40-49	Count	88	30	118
		% within Sex	23.6%	17.1%	21.5%
	50-59	Count	16	7	23
		% within Sex	4.3%	4.0%	4.2%
	60-69	Count	2	1	3
		% within Sex	.5%	.6%	.5%
	70+	Count	2		2
		% within Sex	.5%		.4%
	Unknown	Count	1		1
		% within Sex	.3%		.2%
Total		Count	373	175	548
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	2	4	6
Age		% within Sex	.5%	2.3%	1.1%
	13-19	Count	2	6	8
		% within Sex	.5%	3.4%	1.5%
	20-24	Count	10	18	28
		% within Sex	2.7%	10.3%	5.1%
	25-29	Count	23	25	48
		% within Sex	6.2%	14.3%	8.8%
	30-39	Count	128	56	184
		% within Sex	34.3%	32.0%	33.6%
	40-49	Count	153	53	206
		% within Sex	41.0%	30.3%	37.6%
	50-59	Count	46	9	55
		% within Sex	12.3%	5.1%	10.0%
	60-69	Count	6	4	10
		% within Sex	1.6%	2.3%	1.8%
	70+	Count	3		3
		% within Sex	.8%		.5%
Total		Count	373	175	548
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex.	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	155	45	200
		% within Sex	41.6%	25.7%	36.5%
	African American	Count	181	120	301
		% within Sex	48.5%	68.6%	54.9%
	Hispanic	Count	25	7	32
		% within Sex	6.7%	4.0%	5.8%
	Asian-Pacific Islander	Count	4	1	5
		% within Sex	1.1%	.6%	.9%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.3%		.2%
	Not Specified	Count	7	2	9
		% within Sex	1.9%	1.1%	1.6%
Total		Count	373	175	548
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	193		193
Exposure		% within Sex	51.7%		35.2%
	IDU	Count	40	32	72
		% within Sex	10.7%	18.3%	13.1%
	M-M & IDU	Count	37		37
		% within Sex	9.9%		6.8%
	Heterosexual Contact	Count	28	70	98
		% within Sex	7.5%	40.0%	17.9%
	Transfusion	Count	5	2	7
		% within Sex	1.3%	1.1%	1.3%
	Not Classified	Count	65	64	129
		% within Sex	17.4%	36.6%	23.5%
	Ped Hemophiliac	Count	2		2
		% within Sex	.5%		.4%
	Ped Parent at Risk	Count	3	7	10
		% within Sex	.8%	4.0%	1.8%
Total		Count	373	175	548
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	1	198	1	200
		% within Adult-Ped	9.1%	36.9%	100.0%	36.5%
	African American	Count	8	293		301
		% within Adult-Ped	72.7%	54.7%		54.9%
	Hispanic	Count	2	30		32
		% within Adult-Ped	18.2%	5.6%		5.8%
	Asian-Pacific Islander	Count		5		5
		% within Adult-Ped		.9%		.9%
	Am Indian-Alaskan	Count		1		1
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		9		9
		% within Adult-Ped		1.7%		1.6%
Total		Count	11	536	1	548
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Beaumont-Port Arthur

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped			
				Adult/Adol			
			Pediatric	escent	Unknown	Total	
Sex	Male	Count	4	368	1	373	
		% within Adult-Ped	36.4%	68.7%	100.0%	68.1%	
	Female	Count	7	168		175	
		% within Adult-Ped	63.6%	31.3%		31.9%	
Total		Count	11	536	1	548	
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. HSDA = Beaumont-Port Arthur